

# Oracle CPQ Resolved Known Issues



Update 26B

## TABLE OF CONTENTS

Table of Contents.....	1
Oracle CPQ 26B General Availability Weekly Bundle 0327 Fixes.....	2
Oracle CPQ 26A Patch Summary .....	4
Browser Support .....	4
Custom JavaScript and CSS .....	4
Additional Information .....	5
Disclaimer .....	5
Migration .....	6

---

The Oracle CPQ 26B Resolved Known Issues document provides a high-level description of bug fixes implemented in this release. This document also provides information on supported browsers. For more information on 26B features, please see the [Oracle CPQ 26B What's New](#).

## ORACLE CPQ 26B GENERAL AVAILABILITY WEEKLY BUNDLE 0327 FIXES

The following fixes are included in Oracle CPQ 26B General Availability Weekly Bundle 0327.

BUG ID	DESCRIPTION	RESOLUTION
<b>Approvals</b>		
37785863	Users were not able to approve quotes via mobile approval due to the email server appearing unavailable.	Oracle CPQ has improved resiliency of the email server task processing to better service mobile approval requests.
<b>Asset-Based Ordering</b>		
37907457	When the <code>abo_loadContext</code> BML function is executed more than once during a user session, the value did not update after the first time the BML function was executed.	The <code>abo_loadContext</code> BML function value is updated appropriately every time it is executed.
38930272	For Oracle CPQ sites running Standard ABO, multi-row assets could not be renewed.	For Oracle CPQ sites running Standard ABO, multi-row assets can be renewed.
<b>BML</b>		
38957406	In Redwood UI when a BML function script was overridden and saved, the BML script changes were not included when the BML function was re-opened in the BML Library.	In Redwood UI when a BML function script is overridden and saved, the BML script changes are saved and present when the BML function is re-opened in the BML Library.
<b>Commerce</b>		
37885962	In JET UI, the <code>state</code> attribute value displayed as the variable name instead of the display name.	In JET UI, the <code>state</code> attribute value displays appropriately as the display name.
37903532	Customer ID attribute was not able to be triggered for auto update using auto update BML functions.	Customer ID attribute is triggered for auto update using auto update BML functions.
38932797	For Standard Process, the out of the box product association array set variable name was incorrect.	For Standard Process, the out of the box product association array set variable name is correctly named <code>_productAssociationSet_assocItemExternalAsssetRef</code> .

BUG ID	DESCRIPTION	RESOLUTION
<b>Configuration</b>		
38889555	For Oracle CPQ sites running in Fusion that had a very large number of BOM parts, in some instances BOM records did not display in the Product Workbench.	For CPQ sites running in Fusion, BOM records display as expected in the Product Workbench.
38952207	When a BOM Mapping-related data table was created in a different folder than the default folder a user was not allowed to access the BOM mapping page even though the user had full access permission.	When a BOM Mapping-related data table is created in a different folder than the default folder a user with full access permission can access the BOM mapping page.
38963081	The BOM Item Deploy confirmation window did not display confirmation text.	The BOM Item Deploy confirmation window displays appropriate confirmation text.
<b>Email and Document Designer</b>		
38470314	Images included and previewed in the email designer do not display in the email sent to the recipient.	Images display as expected in email.
38613113 38867554	Strikethrough text did not render in the document output.	Strikethrough text renders in the document output.
38642069	When a horizontal line was added to a text element within a document template, an error displayed.	You can add a horizontal line to a text element within a document template.
<b>Integration</b>		
38918598	Creating a new transaction via REST that included multiple system configurations with the same root model but different children resulted in an error.	You can create a new transaction that includes multiple system configurations with the same root model regardless of whether children are identical.
<b>Migration</b>		
38930691	Migration Center Redwood UI did not display an error when the Migration Dependencies REST API results had duplicate dependencies.	Migration Center Redwood UI displays an error when duplicate dependencies are included in the Migration Dependencies REST API payload results.

## ORACLE CPQ 26A PATCH SUMMARY

Oracle CPQ 26B General Availability Weekly Bundle 0327 includes all fixes that are patched in the Oracle CPQ Update 26A up to the 26A Weekly Bundle 0327. Refer to [Oracle CPQ 26A Patch Document](#) for details.

### Browser Support

Oracle CPQ supports all browser versions that meet the criteria of the [Oracle Software Web Browser Support Policy](#).

If you experience issues using a supported browser version, open a ticket on [My Oracle Support](#) to resolve the issue. If an issue arises when using a supported browser, use a certified browser version until a fix is delivered. Certified browsers are selected based on current market share and are thoroughly tested to work with the current version's standard functionality.

#### Certified Browsers

##### Windows

- Google Chrome 145.x
- Mozilla Firefox 145.x
- Microsoft Edge 145.x

##### Mobile Devices

- Apple iPad iOS 26.x, Safari browser
- Apple iPhone iOS 26.x, Safari browser

**Note:** Compatibility issues with the selected browsers may exist when sites are created with additional JavaScript, alternate CSS, or other custom functionality. Customizations may require add-on work. Contact [My Oracle Support](#) to determine the availability of workarounds and minor fixes.

### Custom JavaScript and CSS

While Oracle CPQ does not endorse or guarantee the use of JavaScript customizations, we recognize that some customers have extended Oracle CPQ. Customizations may conflict with new Oracle CPQ platform features, data may be corrupted or lost, maintenance and support may be difficult, cross-browser support must be verified, performance may be impaired, and testing is required for each upgrade. Customers should carefully consider the relative benefits of JavaScript customizations in light of the associated risks.

Customers are recommended to utilize the [CPOJS APIs](#) instead of manipulating the Document Object Model (DOM) structure or specific elements, classes or IDs.

If customers have added custom JavaScript that leverages the Document Object Model (DOM) structure or specific elements, classes or IDs, this customization should be thoroughly tested and may require refactoring.

Oracle CPQ 26B supports JET v19.0.1. Please note the following:

- List View (<oj-list-view>) - Putting focus on table elements will enable actionable mode.
- Button (<oj-button>) Updated dark mode outlined button border colors to match the Redwood UX specification, making dark mode outlined borders slightly more pronounced.
- ojtree - The deprecated ojtree jQuery code has been removed.
- Menu (<oj-menu>) Due to issues related to default browser context menu, href attribute is removed from menu items.

- Status Meter Gauge (<oj-status-meter-guage>) - The default value of 'auto' for metric-label.rendered no longer renders metric-label in oj-status-meter-gauge with orientation="circular".
- Input Time (<oj-input-time>)
- The default value of time-picker.show-on has been changed from 'focus' to 'image' to better match the Redwood UX specification.
- The default value of autocomplete has been changed from 'on' to 'off' to better match the Redwood UX specification.
- Rating Guage(<oj-rating-guage>) & Status Meter Guage (<oj-status-meter-guage>) - Removed support for displaying "No Data to Display" in gauges; the gauge now renders blank when no data is available. Applications are recommended to set the value to 0 if a visual indicator is needed.

#### IMPORTANT:

- JET widget CSS applies to elements with class that starts with '.oj'. Oracle JET reserves this as a namespace. As such all customized elements that include '.oj' should be reviewed, tested, and refactored. Going forward no customized elements should include '.oj' in order to prevent future issues.
- Oracle CPQ 25C to 26A supported JET v17.1.0. Refer to Oracle CPQ Administration Online Help > [Pre-Upgrade Considerations](#) for Oracle CPQ 26A or earlier for notes and considerations regarding JET v17.1.0.

Oracle CPQ 26B upgraded jQuery to 3.7.1. Customers using earlier versions of jQuery need to upgrade and test their JavaScript customizations.

Refer to the following resources for more information:

- Oracle CPQ Administration Online Help > Style & Templates > [JavaScript Customizations for JET UIs](#)
- [Oracle CPQ JET Configuration and Transaction UI: Refactoring Existing JavaScript Customizations \(Doc ID 2490016.1\)](#)
- [Oracle JET 19.0.0 Get Started](#)
- [Oracle JavaScript Extension Toolkit – JET 19.0.0 Release Notes](#)
- [JavaScript Extension Toolkit – JET v18.1.0 Release Notes](#)
- [JavaScript Extension Toolkit - JET v17.1.0 Release Notes](#)
- [JavaScript Extension Toolkit - JET v17.0.0 Release Notes](#)

## Additional Information

To see all new functionality and known issues between your current version and the version to which you are upgrading, refer to the What's New documents. To familiarize yourself with the new features introduced in 26B, Oracle strongly recommends referring to the [Oracle CPQ Administration Online Help](#). For additional assistance, please see [My Oracle Support](#). Verify any information not explicitly mentioned in the release notes as supported by the software against the CPQ Online Help.

## Disclaimer

This Oracle CPQ Resolved Known Issues document is provided for high-level informational purposes only and is not intended to function as a specification or to replace the product Help and User Guide. Upgrading to a subsequent release may require modifications to integration XML and APIs or the re-deployment of Commerce Processes, Configuration, Document Engine documents, or global function settings.

## Migration

When using Import From Source or Connect To Destination to migrate content, both sites must use the same major update. The migration of content can only occur across minor updates within the same major update. For example:

- “Major update” = Update 26B General Availability Weekly Bundle 0327
- “Minor update” = Update 26B Weekly Bundle

When using Migration Packages, content from 19A and forward can be uploaded to the latest site version.

**Note:** Bug ID numbers correspond to Oracle BugDB numbers.

## CONNECT WITH US

Call +1.800.ORACLE1 or visit [oracle.com](http://oracle.com).

Outside North America, find your local office at [oracle.com/contact](http://oracle.com/contact).



[blogs.oracle.com](http://blogs.oracle.com)



[facebook.com/oracle](https://facebook.com/oracle)



[twitter.com/oracle](https://twitter.com/oracle)

Copyright © 1994, 2026 Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

